Custer and Pennington Counties, Praire Parts, South Dakota Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
AaA	Altvan loam, 0 to 2 percent slopes	4,840	0.3
AaB	Altvan loam 2 to 6 percent slopes	1,860	0.1
AaC	Altvan loam, 6 to 9 percent slopes	1,260	*
ArA	Arvada loam 0 to 4 percent slopes	17,230	1.1
BaA	Raca silt loam 0 to 4 percent slopes	5,040	0.3
Bb		64,360	4.0
BcB	Bankard loamy fine sand, 0 to 4 percent slopes	12,580	0.8
BfA	Beckton silt loam. 0 to 4 percent slopes	14,280	0.9
BhA	Beckton-arvada complex, 0 to 4 percent slopes	3,340	0.2
BkA	Blackpipe silty clay loam, 0 to 2 percent slopes	4,540	0.3
BkB	Blackpipe silty clay loam, 2 to 6 percent slopes	8,110	0.5
BlA	Blackpipe clay loam, 0 to 2 percent slopesBlackpipe clay loam, 2 to 6 percent slopes	2,810	0.2
BlB BnC	Blackpipe clay loam, 2 to 6 percent slopes	11,010	0.7
BoA	Blackpipe-wortman complex, 0 to 3 percent slopes	7,360 21,160	1.3
BoB	Blackpipe-wortman complex, 1 to 6 percent slopes	5,360	0.3
Вр	Bridgeport silt loam	2,760	0.3
Ca	Cactusflat silty clay	1,880	0.1
Cb	Cactusflat-weta_complex	3,570	0.2
CeA	Cedarpass silty clay loam. 0 to 3 percent slopes	16,900	1.0
CfA	Cedarpass-denby complex. 0 to 3 percent slopes	16,040	1.0
Ch	Cedarpass-interior-hadland_complex	20,580	1.3
ClF	Colby silt loam 9 to 40 percent slopes	2,430	0.2
CmC	Colby-norks gilt losms 6 to 15 percent glopes	4,910	0.3
Cn	Colombo loam	6,250	0.4
Co	Colombo loam channeled	3,160	0.2
Ср	Colombo-urban land complex	1,080	*
CuD	Conata-hisle complex, 6 to 25 percent slopes	5,880	0.4
CyC	Cushman loam, 6 to 9 percent slopes	7,240	0.4
CzD	Cushman-shingle loams, 9 to 15 percent slopes	13,460	0.8
DmA	Denby silty clay, 0 to 3 percent slopes————————————————————————————————————	3,190	0.2
Eg	Egas silty clay loam	2,980	0.2
EmA	Emigrant loam, 0 to 2 percent slopes Emigrant loam, 2 to 6 percent slopes	6,680	0.4
EmB EnD	Enning-minnequa silt loams, 9 to 25 percent slopes	16,240 7,080	1.0
FaE	Fairburn clay loam, 9 to 40 percent slopes	36,590	2.3
FgE	Fairburn gravelly clay loam, 15 to 45 percent slopes, bouldery	7,110	0.4
FhE	Fairburn-badland complex, 9 to 40 percent slopes	3,320	0.2
FoF	Fairburn-orella-badland.complex. 15 to 45 percent slopes	26,470	1.6
Gb	Glenberg fine sandy loam	4,580	0.3
GrE	Grummit-rock outgrop complex, 6 to 40 percent slopes	8,300	0.5
GsD	Grummit-urban land complex. 9 to 30 percent slopes	480	*
На	Haverson silt loam	5,750	0.4
Hc	Haverson loam, channeled	3,590	0.2
HpB	Hisle silt loam, 0 to 6 percent slopes	10,510	0.7
HrC	Hisle-rock outcrop complex, 2 to 9 percent slopes	2,200	0.1
HsB	Hisle-slickspots complex, 0 to 6 percent slopes Hoven silt loam	2,930	0.2
Hv	Hoven slit 10am	4,070	0.3
Hz In	Hoven variant silty clay, ponded	460 3,890	0.2
Io	Interior loam, channeled	17,350	1.1
IrB	Interior-cedarpass-denby complex, 0 to 6 percent slopes	18,610	1.2
JaA	Jayem fine sandy loam, 0 to 3 percent slopes	5,390	0.3
JaC	Javem fine sandy loam. 3 to 9 percent slopes	9,290	0.6
KtA	Kyle clay. 0 to 1 percent slopes	2,780	0.2
KyA	Kyle clay 0 to 3 percent slopes	19,510	1.2
KyB	Kyle clay, 3 to 6 percent slopes	26,250	1.6
KyC	Kyle clay, 6 to 9 percent slopes	7,740	0.5
LaB	Larvie clay, 0 to 4 percent slopes	1,410	*
LaD	Larvie clay, 6 to 15 percent slopes	980	*
LhC	Larvie-hisle complex, 0 to 9 percent slopes	5,030	0.3
Lo	Lohmiller silty clay	15,770	1.0
Lp	Lohmiller silty clay, channeled	31,590	2.0
M-W	Miscellaneous water	80	*
MaB MeC	Manvel silt loam, 0 to 6 percent slopes	3,860	0.2
IVI C	Manvel-minnequa siit loams, 2 to 9 percent slopes Manvel-urban land complex, 6 to 15 percent slopes	4,990	0.3

See footnote at end of table.

USDA-NRCS-South Dakota May 2002 Technical Guide Notice SD-130

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
MoE	Midway silty clay loam, 15 to 40 percent slopes	33,700	2.1
MosE	Midway clay loam, 15 to 40 percent slopes, stony	12,680	0.8
MpD	Midway-urban land complex, 9 to 30 percent slopes	290	*
MrC	Minnequa-penrose complex. 6 to 9 percent slopes	1,730	0.1
NdE	Nihill gravelly loam, 9 to 40 percent slopes	10,050	0.6
NeD	Nihill very gravelly loam, 0 to 25 percent slopesNorka silt loam, 0 to 2 percent slopes	670	* 0.2
NgA NgB	Norka silt loam, 2 to 6 percent slopes	3,010 4,310	0.2
NhA	Norka-weta silt loams. 0 to 3 percent slopes	4,120	0.3
NkD	Norrest silty clay loam, 6 to 15 percent slopes	21,550	1.3
NuA	Nunn loam. 0 to 2 percent slopes	56,480	3.5
NuB	Nunn loam, 2 to 6 percent slopes	70,447	4.4
NuC	Nunn loam, 6 to 12 percent slopes	17,780	1.1
NvA NvC	Nunn-beckton complex, 0 to 3 percent slopesNunn-beckton complex, 3 to 9 percent slopes	11,860 3,410	0.7
NwA	Nunn-urban land complex, 0 to 3 percent slopes	2,470	0.2
ObE	Orella-badland complex, 9 to 45 percent slopes	24,010	1.5
OeE	Orella-interior-badland complex. 0 to 25 percent slopes	5,920	0.4
OtA	Ottumwa clay. 0 to 2 percent slopes	6,680	0.4
OtB	Ottumwa clay. 2 to 6 percent slopes	19,250	1.2
OvC	Ottumwa-razor complex, 6 to 9 percent slopesOwanka clay loam	7,630	0.5
Ow	Owanka-beckton complex	14,810 8,500	0.9
Ox PdF	Penrose-rock outcrop complex, 9 to 60 percent slopes	2,670	0.3
PeB	Pierre clay. 2 to 6 percent slopes	19,760	1.2
PeC	Pierre clay 6 to 9 percent slopes	11,400	0.7
PeD	Pierre clay, 6 to 15 percent slopes	53,080	3.3
PgD	Pierre-grummit clays, 6 to 15 percent slopes	5,760	0.4
PhB	Pierre-hisle complex, 0 to 9 percent slopes	15,420	1.0
PkC	Pierre-urban land complex, 6 to 15 percent slopes Pits, gravel	1,810	0.1
Ps RaB	Razor silty clay, 2 to 6 percent slopes	1,330 3,840	0.2
RaC	Razor silty clay, 6 to 9 percent slopes	3,970	0.2
RbD	Razor-midway complex, 6 to 15 percent slopes	33,000	2.0
Rv	Riverwash	4,340	0.3
SbF	Samsil clay, 25 to 40 percent slopes	107,449	6.7
ScE	Samsil-pierre clays, 15 to 25 percent slopes	85,212	5.3
SdF	Samsil-rock outcrop complex, 25 to 75 percent slopes	28,220	1.7
SeA SeB	Satanta loam, 2 to 6 percent slopes u	45,060 32,190	2.8
SeC	Satanta loam. 6 to 9 percent slopes	4,040	0.3
SgA	Satanta-beckton complex. 0 to 3 percent slopes	10,840	0.7
SkA		1,240	*
SkB	Satanta-urban land complex, 2 to 6 percent slopes	1,140	*
SmA	Savo silt loam, 0 to 2 percent slopes	9,130	0.6
SmB SmC	Savo silt loam, 6 to 9 percent slopes	14,750 5,900	0.9
SoB	Savo-urban land complex 0 to 9 percent slopes	430	*
StE	ISchamber-samsil complex. 15 to 40 percent slopes	10,300	0.6
SuE	Shingle loam, 15 to 25 percent slopes	8,170	0.5
SvF	Shingle-rock outgrop complex: 25 to 60 percent slopes	10,300	0.6
SzB	Swanboy clay, 0 to 6 percent slopes	3,100	0.2
TfA VbD	Tilford silt loam, 0 to 2 percent slopesValent loamy fine sand, 6 to 25 percent slopes	460 4,810	0.3
VbwB	Valent-wortman loamy fine sands, 2 to 6 percent slopes	1,160	*
W	Water	8,700	0.5
WaA	Wanblee silt loam. 0 to 4 percent slopes	3,040	0.2
WbB	Wanblee-wortman silt loams, 0 to 4 percent slopes	17,680	1.1
WeA	Weta silt loam. 0 to 3 percent slopes	1,460	*
Wh	Whitelake fine sandy loam	930	*
WkA	Whitewater clay, 0 to 3 percent slopes	9,420	0.6
WoB WwB	Wortman silt loam, 0 to 6 percent slopes	24,510 5,430	0.3
ZnD	Zigweid-nihill complex, 6 to 15 percent slopes	41,440	2.6
	Total	1,613,258	100.0

^{*} Less than 0.1 percent.

USDA-NRCS-South Dakota May 2002 Technical Guide Notice SD-130